

ON A KIND OF MEASURE-VALUED MAPPINGS ARISING FROM COMPOSITIONS

*Piotr Puchała*¹

¹*Institute of Mathematics, Czestochowa University of Technology,
Czestochowa, Poland*

¹piotr.puchala@im.pcz.pl

Keywords *nonhomogeneous Young measures, selections of multivalued mappings*

We consider a class of measure valued mappings with values being probability measures with densities, satisfying certain regularity conditions. The aboriginal idea of obtaining such mappings was to use selections of multivalued mappings as a source of densities. We will try to generalize this idea to obtain a broader class of densities for considered mappings.

References

- [1] Roubíček T., *Relaxation in Optimization Theory and Variational Calculus*, Walter de Gruyter GmbH, Berlin/Boston, 2nd ed. 2020.
- [2] Repovš D., Semenov P. V., *Continuous Selections of Multivalued Mappings*, Kluwer Academic Publishers, Dordrecht/Boston/London 1997.
- [3] Fryszkowski A., *Fixed Point Theory for Decomposable Sets*, Kluwer Academic Publishers, Dordrecht/Boston/London 2010.
- [4] Puchała P., A few remarks about Young measures with densities, *J. Appl. Math. Comput. Mech.* 2025, 24(4), 75-84.